



测试报告

报告编号: GSyyyymmdd*** 日期: yyyy-mm-dd

第 1 页 共 1 页

测试结果:

邻苯含量

测试方法: 参照 US EPA 3550C:2007 和 US EPA 8270D:2007 的方法。样品经有机溶剂萃取后, 采用 GC-MS 进行分析

限值: 根据欧盟 REACH 法规附录 XVII 的修正指令(EC) No 552/2009 第 51 和 52 条

测试物质	CAS 编号	单位	限值	方法检出限	结果		
					1	2	3
邻苯二甲酸二丁酯(DBP)	84-74-2	ppm	--	50	ND	ND	ND
邻苯二甲酸丁酯苝酯(BBP)	85-68-7	ppm	--	50	ND	ND	ND
邻苯二甲酸二(2-乙基己基)酯(DEHP)	117-81-7	ppm	--	50	ND	ND	ND
合计 (DBP + BBP + DEHP)	--	ppm	1000	--	ND	ND	ND
邻苯二甲酸二正辛酯 (DNOP)	117-84-0	ppm	--	50	ND	ND	ND
邻苯二甲酸二异壬酯 (DINP)	28553-12-0	ppm	--	50	ND	ND	ND
邻苯二甲酸二异癸酯 (DIDP)	26761-40-0	ppm	--	50	ND	ND	ND
合计 (DNOP + DINP + DIDP)	--	ppm	1000	--	ND	ND	ND

备注:

ND = 未检出, 低于方法检出限

ppm = 百万分之一, mg/kg

Sample ID.	Test Part Description
1	
2	
3	

*** 报告结束 ***



Gretesting Service Shanghai Co., Ltd.
上海量达检测技术有限公司

相关项目未取得资质认定, 仅作为科研、教学或内部质量控制之用。

Unless otherwise stated, the results shown in this test report refer only to the sample(s) received and tested in laboratory, and such sample(s) are retained for 30days only. The sole responsibility of Gretesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document. Reproduction of this document is only valid if it is done completely and under the written permission of Gretesting Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to info@gretesting.com and referring to this report number.
10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China
上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层
t (86-21)64788791
f (86-21)64788792
Http://www.gretesting.com
info@gretesting.com